

PRODUCT	T-333	T-OG1	T-OGW
NLGI	2	1	0
Penetration @ 77°F / 25°C	295	340	380
Base Oil Viscosity			
SUS @ 100°F (cSt)	3100(669)	-	-
Color	Metallic Copper	Black	Black
Drop point °F/°C	525/274	450/232	425/218
Timken Load Wear Test			
OK Load, kg/lbs.	32/70	45/100	45/100
Water resistance	Excellent	Excellent	Excellent
Operating Range			
°F	-35/325	0/325	-20/350
°C	-37/163	-18/136	-29/177