

U.S. Tsubaki Power Transmission, LLC  
 U.S. Tsubaki Holdings, Inc.  
 Corporate Headquarters  
 301 E. Marquardt Dr.  
 Wheeling, IL 60090 USA

Toll Free: 800.323.7790

Phone: 847.459.9500

Fax: 847.459.9515

Email: [sales@ustsubaki.com](mailto:sales@ustsubaki.com)


Website: [www.ustsubaki.com](http://www.ustsubaki.com)

## BRITISH STANDARD NICKEL-PLATED CHAINS

### NICKEL-PLATED CHAIN

Nickel-Plated chains provide acceptable performance where equipment must operate in mildly corrosive environments.

Double strand nickel-plated chains are also available.



1

<u>Item #</u>	<u>Strand</u>	<u>Material</u>	<u>ISO BS/DIN No.</u>	<u>P - Pitch</u>	<u>R - Roller Diameter</u>	<u>W - Width Between Roller Link Plates</u>	<u>Quantity</u>
<a href="#">RF06BNPRB</a>	Single	Nickel-Plated	06B	0.375 in	0.250 in	0.225 in	1
<a href="#">RS08BNPRB</a>	Single	Nickel-Plated	08B	0.500 in	0.335 in	0.305 in	1

<u>Item #</u>	<u>Strand</u>	<u>Material</u>	<u>ISO BS/DIN No.</u>	<u>P - Pitch</u>	<u>R - Roller Diameter</u>	<u>W - Width Between Roller Link Plates</u>	<u>Quantity</u>
<u>RS10BNPRB</u>	Single	Nickel-Plated	10B	0.625 in	0.400 in	0.380 in	1
<u>RS12BNPRB</u>	Single	Nickel-Plated	12B	0.750 in	0.475 in	0.460 in	1
<u>RS16BNPRB</u>	Single	Nickel-Plated	16B	1.000 in	0.625 in	0.670 in	1
<u>RS20BNPRB</u>	Single	Nickel-Plated	20B	1.250 in	0.750 in	0.770 in	1
<u>RS24BNPRB</u>	Single	Nickel-Plated	24B	1.500 in	1.000 in	1.000 in	1
<u>RS28BNPRB</u>	Single	Nickel-Plated	28B	1.750 in	1.100 in	1.220 in	1
<u>RS32BNPRB</u>	Single	Nickel-Plated	32B	2.000 in	1.150 in	1.220 in	1
<u>RS40BNPRB</u>	Single	Nickel-Plated	40B	2.500 in	1.550 in	1.500 in	1
<u>RF06BNP- 2RB</u>	Double	Nickel-Plated	06B	0.375 in	0.250 in	0.225 in	1
<u>RS08BNP- 2RB</u>	Double	Nickel-Plated	08B	0.500 in	0.335 in	0.305 in	1
<u>RS10BNP- 2RB</u>	Double	Nickel-Plated	10B	0.625 in	0.400 in	0.380 in	1

<u>Item #</u>	<u>Strand</u>	<u>Material</u>	<u>ISO BS/DIN No.</u>	<u>P - Pitch</u>	<u>R - Roller Diameter</u>	<u>W - Width Between Roller Link Plates</u>	<u>Quantity</u>
<u>RS12BNP- 2RB</u>	Double	Nickel- Plated	12B	0.750 in	0.475 in	0.460 in	1
<u>RS16BNP- 2RB</u>	Double	Nickel- Plated	16B	1.000 in	0.625 in	0.670 in	1
<u>RS20BNP- 2RB</u>	Double	Nickel- Plated	20B	1.250 in	0.750 in	0.770 in	1
<u>RS24BNP- 2RB</u>	Double	Nickel- Plated	24B	1.500 in	1.000 in	1.000 in	1
<u>RS28BNP- 2RB</u>	Double	Nickel- Plated	28B	1.750 in	1.100 in	1.220 in	1
<u>RS32BNP- 2RB</u>	Double	Nickel- Plated	32B	2.000 in	1.150 in	1.220 in	1
<u>RS40BNP- 2RB</u>	Double	Nickel- Plated	40B	2.500 in	1.550 in	1.500 in	1