

U.S. Tsubaki Power Transmission, LLC
 U.S. Tsubaki Holdings, Inc.
 Corporate Headquarters
 301 E. Marquardt Dr.
 Wheeling, IL 60090 USA

Toll Free: 800.323.7790

Phone: 847.459.9500

Fax: 847.459.9515

Email: sales@ustsubaki.com


Website: www.ustsubaki.com

DOUBLE PITCH ATTACHMENT CHAIN

DOUBLE PITCH ROLLER CHAIN

U.S. Tsubaki Double Pitch conveyor chains are available with standard bent or straight type attachments on one or both sides. Extended pin attachments are also available

[+ more](#)



1 2 3 4 5 »

<u>Item #</u>	<u>Attachment Number</u>	<u>P - Pitch</u>	<u>R - Roller Diameter</u>	<u>Number of Links per 10 ft</u>	<u>Additional Weight per Attachment</u>	<u>Quantity</u>
<u>C2040 A-1</u>	A-1	1.000 in	0.312 in	120	0.007 lb/att	1
<u>C2050 A-1</u>	A-1	1.250 in	0.400 in	96	0.013 lb/att	1

<u>Item #</u>	<u>Attachment Number</u>	<u>P - Pitch</u>	<u>R - Roller Diameter</u>	<u>Number of Links per 10 ft</u>	<u>Additional Weight per Attachment</u>	<u>Quantity</u>
<u>C2060H A-1</u>	A-1	1.500 in	0.469 in	80	0.037 lb/att	1
<u>C2080H A-1</u>	A-1	2.000 in	0.625 in	60	0.071 lb/att	1
<u>C2100H A-1</u>	A-1	2.500 in	0.750 in	48	0.132 lb/att	1
<u>C2120H A-1</u>	A-1	3.000 in	0.875 in	40	0.221 lb/att	1
<u>C2160H A-1</u>	A-1	4.000 in	1.125 in	30	0.448 lb/att	1
<u>C2040 A-2</u>	A-2	1.000 in	0.312 in	120	0.007 lb/att	1
<u>C2050 A-2</u>	A-2	1.250 in	0.400 in	96	0.013 lb/att	1
<u>C2060H A-2</u>	A-2	1.500 in	0.469 in	80	0.037 lb/att	1
<u>C2080H A-2</u>	A-2	2.000 in	0.625 in	60	0.071 lb/att	1
<u>C2100H A-2</u>	A-2	2.500 in	0.750 in	48	0.132 lb/att	1
<u>C2120H A-2</u>	A-2	3.000 in	0.875 in	40	0.221 lb/att	1

<u>Item #</u>	<u>Attachment Number</u>	<u>P - Pitch</u>	<u>R - Roller Diameter</u>	<u>Number of Links per 10 ft</u>	<u>Additional Weight per Attachment</u>	<u>Quantity</u>
<u>C2160H A-2</u>	A-2	4.000 in	1.125 in	30	0.448 lb/att	1
<u>C2040 K-1</u>	K-1	1.000 in	0.312 in	120	0.013 lb/att	1
<u>C2050 K-1</u>	K-1	1.250 in	0.400 in	96	0.026 lb/att	1
<u>C2060H K-1</u>	K-1	1.500 in	0.469 in	80	0.075 lb/att	1
<u>C2080H K-1</u>	K-1	2.000 in	0.625 in	60	0.141 lb/att	1
<u>C2100H K-1</u>	K-1	2.500 in	0.750 in	48	0.265 lb/att	1
<u>C2120H K-1</u>	K-1	3.000 in	0.875 in	40	0.441 lb/att	1
<u>C2160H K-1</u>	K-1	4.000 in	1.125 in	30	0.895 lb/att	1
<u>C2040 K-2</u>	K-2	1.000 in	0.312 in	120	0.013 lb/att	1
<u>C2050 K-2</u>	K-2	1.250 in	0.400 in	96	0.026 lb/att	1
<u>C2060H K-2</u>	K-2	1.500 in	0.469 in	80	0.075 lb/att	1

<u>Item #</u>	<u>Attachment Number</u>	<u>P - Pitch</u>	<u>R - Roller Diameter</u>	<u>Number of Links per 10 ft</u>	<u>Additional Weight per Attachment</u>	<u>Quantity</u>
<u>C2080H K-2</u>	K-2	2.000 in	0.625 in	60	0.141 lb/att	<input type="text" value="1"/>

1 2 3 4 5 »