


U.S. Tsubaki Power Transmission, LLC U.S. Tsubaki Holdings, Inc. Corporate Headquarters 301 E. Marquardt Dr. Wheeling, IL 60090 USA

Toll Free: 800.323.7790 Phone: 847.459.9500 Fax: 847.459.9515 Email: <u>sales@ustsubaki.com</u> Website: <u>www.ustsubaki.com</u>

DOUBLE PITCH CONVEYOR LAMBDA CHAIN ATTACHMENT



12345»

<u>Item #</u>	<u>Attachment</u> <u>Number</u>	<u>P -</u> <u>Pitch</u>	<u>Material</u>	<u>C</u>	N	Additional <u>Weight per</u> Attachment	Quantity
<u>C2040-</u> LAMBDA- <u>A-1</u>	A-1	1.000 in	Standard	0.500 in	0.752 in	0.006 lb	1
<u>C2050-</u> LAMBDA- <u>A-1</u>	A-1	1.250 in	Standard	0.626 in	0.937 in	0.013 lb	1
<u>C2060H-</u> LAMBDA- <u>A-1</u>	A-1	1.500 in	Standard	0.844 in	1.126 in	0.037 lb	1

11/21/2023 | Page 2 of 4

<u>ltem #</u>	<u>Attachment</u> <u>Number</u>	<u>P -</u> Pitch	<u>Material</u>	<u>C</u>	N	Additional Weight per Attachment	Quantity
<u>C2080H-</u> LAMBDA- <u>A-1</u>	A-1	2.000 in	Standard	1.094 in	1.500 in	0.070 lb	1
<u>C2100H-</u> LAMBDA- <u>A-1</u>	A-1	2.500 in	Standard	1.312 in	1.874 in	0.132 lb	1
<u>C2040-</u> LAMBDA- <u>A-2</u>	A-2	1.000 in	Standard	0.500 in	0.752 in	0.006 lb	1
<u>C2050-</u> LAMBDA- <u>A-2</u>	A-2	1.250 in	Standard	0.626 in	0.937 in	0.013 lb	1
<u>C2060H-</u> LAMBDA- <u>A-2</u>	A-2	1.500 in	Standard	0.844 in	1.126 in	0.037 lb	1
<u>C2080H-</u> LAMBDA- <u>A-2</u>	A-2	2.000 in	Standard	1.094 in	1.500 in	0.070 lb	1
<u>C2100H-</u> LAMBDA- <u>A-2</u>	A-2	2.500 in	Standard	1.312 in	1.874 in	0.132 lb	1
<u>C2040-</u> LAMBDA-K- <u>1</u>	K-1	1.000 in	Standard	0.500 in	0.752 in	0.013 lb	1

11/21/2023 | Page 3 of 4

<u>ltem #</u>	<u>Attachment</u> <u>Number</u>	<u>P -</u> Pitch	<u>Material</u>	<u>C</u>	N	Additional Weight per Attachment	Quantity
<u>C2050-</u> LAMBDA-K- 1	K-1	1.250 in	Standard	0.626 in	0.937 in	0.026 lb	1
<u>C2060H-</u> <u>LAMBDA-K-</u> <u>1</u>	K-1	1.500 in	Standard	0.844 in	1.126 in	0.074 lb	1
<u>C2080H-</u> <u>LAMBDA-K-</u> <u>1</u>	K-1	2.000 in	Standard	1.094 in	1.500 in	0.140 lb	1
<u>C2100H-</u> <u>LAMBDA-K-</u> <u>1</u>	K-1	2.500 in	Standard	1.312 in	1.874 in	0.264 lb	1
<u>C2040-</u> LAMBDA-K- <u>2</u>	K-2	1.000 in	Standard	0.500 in	0.752 in	0.013 lb	1
<u>C2050-</u> LAMBDA-K- <u>2</u>	K-2	1.250 in	Standard	0.626 in	0.937 in	0.026 lb	1
<u>C2060H-</u> LAMBDA-K- <u>2</u>	K-2	1.500 in	Standard	0.844 in	1.126 in	0.074 lb	1
<u>C2080H-</u> LAMBDA-K- <u>2</u>	K-2	2.000 in	Standard	1.094 in	1.500 in	0.140 lb	1

11/21/2023 | Page 4 of 4

<u>ltem #</u>	<u>Attachment</u> <u>Number</u>	<u>P -</u> Pitch	<u>Material</u>	<u>C</u>	N	<u>Additional</u> <u>Weight per</u> <u>Attachment</u>	Quantity
<u>C2100H-</u> <u>LAMBDA-K-</u> <u>2</u>	K-2	2.500 in	Standard	1.312 in	1.874 in	0.264 lb	1
<u>C2040-</u> <u>LAMBDA-</u> <u>SA-1</u>	SA-1	1.000 in	Standard	N/A	0.752 in	0.006 lb	1
<u>C2050-</u> LAMBDA- <u>SA-1</u>	SA-1	1.250 in	Standard	N/A	0.937 in	0.013 lb	1
<u>C2060H-</u> LAMBDA- <u>SA-1</u>	SA-1	1.500 in	Standard	N/A	1.126 in	0.037 lb	1
<u>C2080H-</u> LAMBDA- <u>SA-1</u>	SA-1	2.000 in	Standard	N/A	1.500 in	0.070 lb	1
<u>C2100H-</u> LAMBDA- <u>SA-1</u>	SA-1	2.500 in	Standard	N/A	1.874 in	0.132 lb	1

12345»