

U.S. Tsubaki Power Transmission, LLC
 U.S. Tsubaki Holdings, Inc.
 Corporate Headquarters
 301 E. Marquardt Dr.
 Wheeling, IL 60090 USA

Toll Free: 800.323.7790


Phone: 847.459.9500

Fax: 847.459.9515

Email: sales@ustsubaki.com

Website: www.ustsubaki.com

DOUBLE PITCH CONVEYOR LAMBDA CHAIN



1

<u>Item #</u>	<u>Pitch</u>	<u>Material</u>	<u>Roller Style</u>	<u>R - Roller Diameter</u>	<u>W - Width Between Roller Link Plates</u>	<u>Average Tensile Strength</u>	<u>Quantity</u>
<u>C2040-LAMBDA</u>	1.000 in	Standard	"S" Roller	0.312 in	0.312 in	3530 lb	1
<u>C2050-LAMBDA</u>	1.250 in	Standard	"S" Roller	0.400 in	0.375 in	5730 lb	1
<u>C2060H-LAMBDA</u>	1.500 in	Standard	"S" Roller	0.469 in	0.500 in	8380 lb	1

<u>Item #</u>	<u>Pitch</u>	<u>Material</u>	<u>Roller Style</u>	<u>R - Roller Diameter</u>	<u>W - Width Between Roller Link Plates</u>	<u>Average Tensile Strength</u>	<u>Quantity</u>
<u>C2080H-LAMBDA</u>	2.000 in	Standard	"S" Roller	0.625 in	0.625 in	14300 lb	1
<u>C2100H-LAMBDA</u>	2.500 in	Standard	"S" Roller	0.750 in	0.750 in	22500 lb	1
<u>C2040NP-LAMBDA</u>	1.000 in	Nickel-Plated	"S" Roller	0.312 in	0.312 in	3530 lb	1
<u>C2050NP-LAMBDA</u>	1.250 in	Nickel-Plated	"S" Roller	0.400 in	0.375 in	5730 lb	1
<u>C2060HNP-LAMBDA</u>	1.500 in	Nickel-Plated	"S" Roller	0.469 in	0.500 in	8380 lb	1
<u>C2080HNP-LAMBDA</u>	2.000 in	Nickel-Plated	"S" Roller	0.625 in	0.625 in	14300 lb	1
<u>C2100HNP-LAMBDA</u>	2.500 in	Nickel-Plated	"S" Roller	0.750 in	0.750 in	22500 lb	1
<u>C2042-LAMBDA</u>	1.000 in	Standard	"R" Roller	0.625 in	0.312 in	3530 lb	1
<u>C2052-LAMBDA</u>	1.250 in	Standard	"R" Roller	0.750 in	0.375 in	5730 lb	1
<u>C2062H-LAMBDA</u>	1.500 in	Standard	"R" Roller	0.875 in	0.500 in	8380 lb	1
<u>C2082H-LAMBDA</u>	2.000 in	Standard	"R" Roller	1.125 in	0.625 in	14300 lb	1

<u>Item #</u>	<u>Pitch</u>	<u>Material</u>	<u>Roller Style</u>	<u>R - Roller Diameter</u>	<u>W - Width Between Roller Link Plates</u>	<u>Average Tensile Strength</u>	<u>Quantity</u>
<u>C2102H-LAMBDA</u>	2.500 in	Standard	"R" Roller	1.562 in	0.750 in	22500 lb	1
<u>C2042NP-LAMBDA</u>	1.000 in	Nickel-Plated	"R" Roller	0.625 in	0.312 in	3530 lb	1
<u>C2052NP-LAMBDA</u>	1.250 in	Nickel-Plated	"R" Roller	0.750 in	0.375 in	5730 lb	1
<u>C2062HNP-LAMBDA</u>	1.500 in	Nickel-Plated	"R" Roller	0.875 in	0.500 in	8380 lb	1
<u>C2082HNP-LAMBDA</u>	2.000 in	Nickel-Plated	"R" Roller	1.125 in	0.625 in	14300 lb	1
<u>C2102HNP-LAMBDA</u>	2.500 in	Nickel-Plated	"R" Roller	1.562 in	0.750 in	22500 lb	1