



MATERIAL HANDLING EQUIPMENT

**MOVING
AHEAD**



www.ekkolifts.com

EK18GS / EK18GSH
4 Wheel Electric Forklift

Load Capacity 4000 lb.
 Lift Height 189"-212"
Side-Shift, Free Lift,
 Tilt, 4 levers
 ZAPI controller,
 AC Drive Motor,
 48V/480Ah Battery
 3-Phase 480V Charger
 (Optional 220V)



EK20GS:
4 Wheel Electric Forklift

Load Capacity 4500 lb.
 Lift Height 189"
Side-Shift, Free lift,
 Tilt, 4 levers,
 ZAPI Controller,
 AC drive Motor,
 48V/600Ah Battery
 3-Phase 480V Charger
 (Optional 220V)



EK25GB / EK25GHB:
4 Wheel Electric Forklift

Load Capacity 5000 lb.
 Lift Height 189"-212"
Side-Shift,
 Free lift, Tilt, 4 levers
 ZAPI Controller,
 AC Drive Motor,
 48V/600Ah Battery
 3-Phase 480V Charger
 (Optional 220V)



EK30GB / EK35GB:
4 Wheel Electric Forklift

Load Capacity 6000-7000 lb.
 Lift Height 189"
Side-Shift,
 Free lift, Tilt,
 4 Levers
 ZAPI Controller,
 AC Drive Motor,
 48V/600Ah Battery
 3-Phase 480V Charger
 (Optional 220V)




EK15A / EK13A:
3 Wheel Electric Forklift

Load Capacity 3300 lb.
 Lift Height 138"-177"
Side-Shift,
 59" Free lift, Tilt,
 EPS, Curtis Controller,
 German AC Motor,
 24V/400Ah Battery



EK18RF / EK18RFL:
Stand-Up Rider Forklift

Load Capacity 4000 lb.
 Lift Height 189"-216"
Side-Shift,
 Free lift, Tilt, EPS,
 Curtis Controller,
 German AC Motor,
 48V/420Ah Battery



EK18RR / EK18RRL:
Stand-Up Rider
Reach Truck

Load Capacity 4000 lb.
 Lift Height 196"-275"
Side-Shift
 Free lift, Tilt, EPS,
 Curtis Controller,
 German AC Motor,
 48V/420AH Battery



EOP68 / EOP70:
Order Picker

Load Capacity 2200 lb.
 Lift Height 177"-196"
 Auxiliary Forks,
 EPS, Curtis Controller,
 German AC Motor,
 24V/350Ah Battery



ER15 / ER15L:
Walkie Reach Truck

Load Capacity 3300 lb.
 Lift Height 138"-177"
Side-Shift,
 Free Lift Tilt, EPS,
 Curtis Controller,
 German AC Motor,
 24V/350Ah Battery



EH15TH / EH15T:
Moving Mast Reach Truck

Load Capacity 3300 lb.
 Lift Height 138"-216"
 Free Lift, Tilt, EPS,
 Curtis Controller,
 German AC Motor,
 24V/270-400Ah
 Battery



EK14S-130 / EK13S-177:
Counterbalanced Stacker

Load Capacity 2860-3300 lb.
 Lift Height 118"-177"
Side-Shift, Tilt, EPS,
 Curtis Controller,
 German AC Motor,
 24V/210Ah Battery



EK14-138 / EK14-130 / EK14:
Counterbalanced Stacker

Load Capacity 3300 lb.
 Lift Height 118"-138"
 Tilt, EPS, Curtis
 Controller,
 German AC Motor,
 24V/210Ah Battery



EK07S:
Counterbalanced
Stacker

Load Capacity 1550 lb.
 Lift Height 118"
 Curtis Controller,
 750W Drive Motor,
 24V/120Ah Battery



Warehouse Equipment

EB16EA Walkie Straddle Stacker

Load Capacity 4400 lb.
Lift Height 216" , EPS,
Curtis Controller,
76.25 Free lift,
3000W German AC Motor,
24V/210AH Battery



EB12EA: Walkie Straddle Stacker

Load Capacity 3000 lb.
Lift Height 145"
Curtis Controller,
1500W ZF AC Drive Motor,
Internal Charger
24V/100Ah



EB20E / EB18E: Walkie Straddle Stacker

Load Capacity 4000-4400 lb.
Lift Height 138"-177"
Curtis Controller,
750W AC Drive Motor,
External Charger,
24V/160-210AH Battery



EB13E / EB13E-138 Walkie Straddle Stacker

Load Capacity 2800 lb.
Lift Height 119"-138"
Curtis Controller,
750W Center Drive
Motor,
Internal Charger
24V/100AH



EB12E / EB12E-138 Walkie Straddle Stacker

Load Capacity 2640 lb.
Lift Height 119"-138"
Curtis Controller, 750W
Center Drive motor,
Internal charger,
24V/100AH Battery



EA15B / EA15D: Semi-Electric Straddle Stacker

Load Capacity 3300 lb.
Lift Height 119"-138"
45" Forks,
Adjustable Legs,
Power Lift
Manual Drive
Internal Charger
12V/15A
Battery 12V/120Ah



EA15C: Fork Over Stacker

Load Capacity 3300 lb.
Lift Height 119"
45.3" Forks,
Power Lift
Manual Drive
Internal Charger
12V/15A
Battery 12V/120Ah




EPC30A: Center Controlled Rider

Load Capacity 5000 lb.
27x45 Forks,
3.3" Lowered,
7.88" Raised,
Curtis Controller,
German AC Motor,
24V/360AH



EP30A: Rider Pallet Jack

Load Capacity 6600lb.
27x48 Forks,
3.3" Lowered,
Curtis Controller,
German AC Motor,
24V/280AH



EP25E / EP20E: Walkie Pallet Jack

Load Capacity 4400-5500 lb.
27x48 Forks,
3.3-7.9" Curtis Controller,
German AC Motor,
24V/160-240Ah



EG30: Tow Tracker

Capacity 10,000 lb.
Curtis Controller,
German AC
Motor, EPS,
24V/210AH Battery



A25: Manual Pallet Jack A25S: Stainless Steel Pallet Jack

Load Capacity 5500 lbs.
Fork Size 27x48,
2.95-7.5" height,
Robotic Weld,
German Seal Pumps,
Polyurethane Wheels



ES40E/ES60E/ES80E ES100E/ES120E: Scissor Lift

Capacity
500-990 lb.
13-39ft.
Raised Height,
86-102.36"
Lowered Height



**EK18G-LI / EK18G-212LI:
4 Wheel Electric Forklift**

Load Capacity 4000lb.
Lift height 189-212"
Side-Shift,
Free Lift, Tilt
ZAPI Controller,
AC Drive Motor,
80V/150AH
Li-Iron Battery
3-Phase 480V Charger
(Optional 220V & 110V)



**EK20G-LI:
4 Wheel Electric Forklift**

Load Capacity 4500lb.
Lift height 189"
Side-Shift,
Free Lift, Tilt
ZAPI Controller,
AC Drive Motor,
80V/202AH
Li-Iron Battery
3-Phase 480V Charger
(Optional 220V & 110V)



**EK25G-LI / EK25G-212LI:
4 Wheel Electric Forklift**

Load Capacity 5000lb.
Lift height 189-212"
Side-Shift,
Free Lift, Tilt
ZAPI Controller,
AC Drive Motor,
80V/202AH
Li-Iron Battery
3-Phase 480V Charger
(Optional 220V & 110V)



**EK30G-LI / EK35G-LI / EK50G-LI:
4 Wheel Electric Forklift**

Load Capacity 6000-10000lb.
Lift height 189"
Side-Shift, Free Lift, Tilt,
ZAPI Controller,
AC Drive Motor,
80V/250-404AH Li-Iron
Battery
3-Phase 480V Charger
(Optional 220V & 110V)



**EK18A-189LI
EK18A-212LI:
3 Wheel Electric Forklift**

Load Capacity 4000lb.
Lift height 189-212"
Side-Shift,
Free Lift, Tilt, 4 Levers
ZAPI Controller,
AC Drive Motor,
80V/202AH Li-Iron Battery
3-Phase 480V Charger
(Optional 220V & 110V)



**EK15A-189LI:
3 Wheel Electric**

Load Capacity 3300 lb.
Lift Height 189"
Side-Shift,
62.59" Free lift, Tilt,
EPS, Curtis
Controller, 24V AC
Drive Motor,
24V/350Ah Li-Iron
Battery



**EK18R-210LI / EK18R-270LI
/ EK18R-300LI:
Stand-Up Rider Reach Truck**

Load Capacity 4000lb.
Lift height 210-300"
Side-Shift,
Free Lift & Tilt,
ZAPI Controller,
AC Drive Motor,
48V/404AH Li-Iron Battery



**EK18F-212LI:
Stand-Up Rider Forklift**

Load Capacity 4000lb.
Lift height 212"
Side-Shift,
Free Lift & Tilt,
ZAPI Controller,
AC Drive Motor,
48V/404AH Li-Iron
Battery



**EOP70-Li:
Order Picker**

Load Capacity 2200lb.
Lift height 196"
Auxiliary Forks,
EPS, Curtis Controller,
AC Drive Motor,
24V/150AH Li-Iron
Battery



**EK14-130Li:
Counterbalance Stacker**

Load Capacity 3300 lb.
Lift Height 130"
Tilt, EPS, Curtis
Controller,
German AC Motor,
24V/150Ah-Li Battery
110VAC Plug-in
Automatic Charger



**EK14S-130Li/189Li:
Counterbalance Stacker**

Load Capacity 3300 lb.
Lift Height 130"-189"
Side-Shift,
Tilt, EPS, Curtis
Controller,
German AC Motor,
24V/150Ah-Li Battery
110VAC Plug-in
Automatic Charger



**EB16EAS-189LI:
Li-Iron Walkie Straddle
Stacker**

Load Capacity 4400 lb.
Lift Height 189"
Side-Shift
EPS, Curtis Controller,
51.85 Free Lift,
AC Driving Motor
24V/150Ah Li-Iron Battery



**EB13E-119/138/145Li:
Li-Iron Walkie
Straddle Stacker**

Load Capacity 2800 lb.
Lift Height 119-145"
Curtis Controller,
24v Drive Motor,
24V/50AH Lithium
Battery



Warehouse Equipment


EB13ES-119Li / EB13ES-145Li: Li- Iron Walkie Straddle Stacker

Load Capacity 2800 lb.
Lift Height 119- 145"
Curtis Controller,
Side-Shift
24v Drive Motor,
24V/50AH Lithium
Battery



EB12E-98Li LI-IRON Straddle Stacker

Load Capacity 2640 lb.
Lift Height 98"
45" Forks,
Adjustable Legs and forks,
Internal Charger,
24V/50AH Li Battery



EP30A-LI: LI-IRON Rider Pallet Jack

Load Capacity 6600 lb.
Raised Height 9.17"
Lowered Height 3.26"
Curtis Controller,
ZF AC Drive Motor,
Polyurethane Wheels,
24V/202AH Lithium
Battery



EP18Li / EP20Li: LI-IRON Walkie Pallet Jack

Load Capacity 4000-4400 lb.
27x48 Forks
3.3-7.7", Curtis Controller,
24V Drive Motor
Internal Charger,
24V/40-60Ah



EPF20Li / EPF18Li / EPF15Li: LI-Iron Walkie Pallet Jack

Load Capacity 3300-4400 lb.
27x48 Forks, 3.3-7.87",
Pinwheel Turning,
ZAPI Controller,
24V/30-40AH Li Battery



EP15SLi / EP18SLi LI-Iron Walkie Pallet Jack

Load Capacity 3300-4000 lb.
27x48 Forks, 3.3-7.87",
Power Drive,
Curtis Controller,
Easy Exchangeable
24V/30-40AH Battery



EP15JLi / EP18JLi / EP20JLi: Li-Iron Full Electric Pallet Jack

Load Capacity 3300-4400 lb.
27x48" Forks,
3.35-7.8", Robotic Weld,
Curtis Controller,
Internal Charger,
24V-48V/20-40AH
Li-Iron Battery



ES40E-Li / ES60E-Li / ES80E-Li / ES100E-Li

ES120E-Li: Lithium Scissor Lift

Lifting Height:
13ft-39ft

Weight
Capacity: 500
lbs. – 700 lbs.



Why Chose Lithium?

Lithium Batteries have 4x the energy density of lead acid batteries giving you the ability to deep-cycle repeatedly with out damaging them.

Lithium Batteries can charge 5x faster.

Lithium Battery gives you the ability to "opportunity charge"

EKKO

Propane & Diesel Forklift

EK25LP / EK25-212LP: LPG Forklift

Load Capacity 5000lb.
Lift height 189-212"
Side-Shift,
Free Lift, Tilt
Kubota Engine,
Pneumatic Tires



EK25CLP: LPG Forklift

Load Capacity 5000lb.
Lift height 189"
Side-Shift,
Free Lift, Tilt
PSI Engine, Smooth
Cushion Tires



EK25SLP / EK30SLP: LPG Forklift

Load Capacity
5000-6000 Lbs.
Lift height 189"
Side-Shift,
Free Lift, Tilt
PSI Engine, Pattern
Cushion
Tires



EK30LP / EK35LP: LPG Forklift

Load Capacity
6000-7000 Lbs.
Lift height 189"
Side-Shift,
Free Lift, Tilt
Kubota Engine,
Pneumatic Tires



EK50LP / EK70LP: LPG Forklift

Load Capacity
10000-15500 Lbs.
Lift height 185-189"
Side-Shift,
Free Lift, Tilt
Kubota Engine,
Pneumatic Tires



EK30LP-RT / EK35LP-RT: Deisel Rough Terrain Forklift

Load Capacity
6,000-7,000 Lbs.
Lift height 185"
Side-Shift,
Free Lift, Tilt
Kubota Engine,
Solid Pneumatic Tires



EK30D / EK35D / EK50D / EK100D EK160D: Deisel Forklift

Load Capacity
6,000-35,000 Lbs.
Lift height 177-189"
Side-Shift,
Free Lift, Tilt
Kubota and Cummins
Engines
Solid Pneumatic Tires



EKKO

1761 W Holt Ave
Pomona, CA 91768
Info@EKKOLifts.com
WWW.EKKOLifts.com
(877)232-6517

**Become an EKKO
Authorized Dealer
Today!**